


Amendments to the Claims:


This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Original) A process for dimerizing compounds containing exclusively secondary and/or tertiary isocyanate groups comprising dimerizing said compounds in the presence of a saltlike oligomerization catalyst containing one or both of 1,2,3-triazolate structures and 1,2,4-triazolate structures in the anion of the catalyst.
5. (Original) The process according to Claim 4, wherein the anion of the saltlike oligomerization catalyst contains one or both triazolate structures of the general formulas (I) and (II)



(I)



(II)

wherein

R^1 , R^2 , R^3 and R^4 are independently identical or different radicals selected from a hydrogen atom; a halogen atom selected from fluorine, chlorine and bromine; a nitro group; a saturated or unsaturated aliphatic or cycloaliphatic radical; an optionally substituted aromatic or araliphatic radical containing up to 20 carbon


atoms and optionally up to 3 heteroatoms selected from oxygen, sulphur and nitrogen and optionally substituted by halogen atoms or nitro groups and where R^3 and R^4 in formula (II) together with the carbon atoms of the 1,2,3-triazolate five-membered ring also form optionally fused rings having 3 to 6 carbon atoms.

6. (Original) The process according to Claim 5, wherein the anion of the saltlike oligomerization catalyst compound contains the triazolate structures of general formula (I), wherein R^1 and R^2 are identical or different radicals selected from a hydrogen atom; a halogen atom selected from fluorine, chlorine and bromine; a nitro group; a saturated aliphatic or cycloaliphatic radical or an optionally substituted aromatic or araliphatic radical containing up to 12 carbon atoms and optionally up to 3 heteroatoms selected from oxygen, sulphur and nitrogen and can optionally be substituted by halogen atoms or nitro groups.

7. (Original) The process according to Claim 5, wherein the anion of the saltlike oligomerization catalyst compound contains the triazolate structure of general formula (II), wherein R^3 and R^4 are identical or different radicals selected from a hydrogen atom; a halogen atom selected from fluorine, chlorine and bromine; a nitro group; a saturated or unsaturated aliphatic or cycloaliphatic radical or an optionally substituted aromatic or araliphatic radical containing up to 12 carbon atoms and optionally up to 3 heteroatoms selected from oxygen, sulphur and nitrogen and can optionally be substituted by halogen atoms or nitro groups; and together with the carbon atoms of the 1,2,3-triazolate five-membered ring also form optionally fused rings having 3 to 6 carbon atoms.

8. (Original) The process according to Claim 5, wherein the anion of the saltlike oligomerization catalyst comprises one or more salts of compounds selected from 1,2,4-triazole, 1,2,3-triazole and 1,2,3-benzotriazole, and mixtures thereof.

9. (Original) The process according to Claim 5, wherein the oligomerization catalyst contain as cations one or more compounds selected from alkali metal ions, monovalent ammonium ions, and phosphonium cations of the general formula (III)



wherein

E is nitrogen or phosphorus, and

R^5 , R^6 , R^7 and R^8 are identical or different radicals selected from saturated aliphatic or cycloaliphatic radicals and optionally substituted aromatic or araliphatic radical having up to 18 carbon atoms.

10. (Cancelled)

11. (Cancelled)

12. (Cancelled)

13. (Cancelled)